

Fivet Laboratory Services
 2 Telford Road
 P.O. Box 3450
 Graniteside, Harare
 Zimbabwe
 Tel: +263-4-753846/7/8
 Fax: +263-4-773258
 Email: Fivet-lab@vetprod.com



FM/QA/051
 Revision 4
 Issue Date: 10/07/2023

Report No: MB 750/23
 Customer Name: Triathlon Dam
 Address: Troutbeck Resort
 Cell: 0772 419 410
 Email: fultonrickh@gmail.com

MICROBIOLOGY LABORATORY REPORT

Sample Description : Water x 3*	Sample Lab Number: MB 750/23	Customers Reference / Section: Triathlon Water*
Sample Receiving Date: 05 December 2023	Date Tested: 05 - 08 December 2023	Date of Reporting: 11 December 2023

Test Required : Water Microbiology Test	Method Used : SOP MB 04 & MB 06.
Deviations from method? Yes/No	Reason for Deviation : N/A

Results :

<u>Sample*</u>	<u>TVC per ml (cfu)</u>	<u>Enterococcus per 100ml (cfu)</u>	<u>E. coli per 100ml (cfu)</u>	<u>pH</u>	<u>Statement of Conformity. Pass/Fail</u>
Troutbeck 1	266	5	1	7.93	Pass
Troutbeck 2	311	3	2	7.90	Pass
Troutbeck 3	248	7	1	7.91	Pass
Acceptable Water Standards: African Triathlon	N/A	<200 cfu/100ml	<500 cfu/100ml	6 - 9	

<2 means 0 for TVC and <1 means 0 for Coliforms and E. coli
 Decision Rule: According to African Triathlon Standards.

Fivet Laboratory Services
2 Telford Road
P.O. Box 3450
Graniteside, Harare
Zimbabwe
Tel: +263-4-753846/7/8
Fax: +263-4-773258
Email: Fivet-lab@vetprod.com



FM/QA/051
Revision 4
Issue Date: 10/07/2023

Report No: MB 750/23
Customer Name: Triathlon Dam
Address: Troutbeck Resort
Cell: 0772 419 410
Email: fultonrickh@gmail.com

Interpretation and Comments:

From the parameters assessed in the lab, the water conforms to the African Triathlon standards as shown in the table above.

Disclaimers

The report shall not be reproduced except in full without approval of the laboratory.
The information supplied by the customer can affect the validity of results.
The results relate only to the items tested. The results apply to the sample as received.

Information marked * has been provided by the customer.

Authorised By: B. Makombe

Veterinarian: Dr T. Chifamba

Signature:

Handwritten signature of B. Makombe in blue ink.

Signature:

Handwritten signature of Dr T. Chifamba in blue ink.

Date: 11/12/23

Date: 11/12/23